

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : Kabuki  
Product code : C01939  
Type of product : EC: Emulsifiable concentrate  
Other means of identification : Pyraflufen-ethyl 26.5 g/L

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Herbicide  
defoliant  
Desiccant

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Certis Belchim B.V. Sp. z o.o. oddział w Polsce  
Al.Jerozolimskie 214  
02-486 Warszawa  
Polska  
T +48 660 48 55 48  
[Info.pl@certisbelchim.com](mailto:Info.pl@certisbelchim.com), [www.certisbelchim.pl](http://www.certisbelchim.pl)

### 1.4. Emergency telephone number

Emergency number : +44 1235 239670  
24 H/7 days/English/French/German/Dutch

Country	Organisation/Company	Address	Emergency number	Comment
Poland	NCEC Carechem Emergency Number		+48 22 307 3690	Local number in Poland. Language identification will be carried out before hiring a translator.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 4 H332  
Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 1 H318  
Skin sensitisation, Category 1 H317  
Aspiration hazard, Category 1 H304  
Hazardous to the aquatic environment – Acute Hazard, Category 1 H400  
Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410  
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects.

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS07

GHS08

GHS09

Signal word (CLP)

: Danger

Contains

: Solvent naphtha (petroleum), heavy arom.;  $\gamma$ -butyrolactone; Dodecan-1-ol, ethoxylated

Hazard statements (CLP)

: H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H332 - Harmful if inhaled.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P261 - Avoid breathing dust, mist.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

EUH-statements

: EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

Extra phrases

: SP1: Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads). For additional information regarding the extra phrases, please refer to the label.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Solvent naphtha (petroleum), heavy arom.	CAS-No.: 64742-94-5 EC Index-No.: 649-424-00-3 REACH-no: 01-2119451097-39	$\geq 50 - \leq 75$	Asp. Tox. 1, H304 Aquatic Chronic 2, H411

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
$\gamma$ -butyrolactone	CAS-No.: 96-48-0 EC-No.: 202-509-5 REACH-no: 01-2119471839-21	$\geq 10 - \leq 20$	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 STOT SE 3, H336
Dodecan-1-ol, ethoxylated	CAS-No.: 9002-92-0 EC-No.: 500-002-6	$< 10$	Eye Dam. 1, H318
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	CAS-No.: 68953-96-8 EC-No.: 273-234-6 REACH-no: 01-2119964467-xxxx	$\leq 3$	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
xylene substance with a Community workplace exposure limit	CAS-No.: 1330-20-7 EC-No.: 215-535-7 EC Index-No.: 601-022-00-9	$\leq 3$	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304
Poly(oxy-1,2-ethanediyl), $\alpha$ -[2,4,6-tris(1-phenylethyl)phenyl]- $\omega$ -hydroxy-	CAS-No.: 99734-09-5 EC-No.: 619-457-8	$\leq 3$	Aquatic Chronic 3, H412
pyraflufen-ethyl (ISO); 2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid ethyl ester	CAS-No.: 129630-19-9 EC Index-No.: 613-203-00-X	$\geq 1 - < 5$	Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=1000)

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : No fire hazard.  
Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.  
Absorb spillage to prevent material damage.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.  
Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store locked up.
Packaging materials	: Store always product in container of same material as original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Wear recommended personal protective equipment.

**Personal protective equipment symbol(s):**



##### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety glasses

##### 8.2.2.2. Skin protection

**Skin and body protection:**

Wear suitable protective clothing

**Hand protection:**

Protective gloves

##### 8.2.2.3. Respiratory protection

**Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection.

##### 8.2.2.4. Thermal hazards

No additional information available

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. brown.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Explosive properties	: None.
Oxidising properties	: None.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 89 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 4,9
pH solution concentration	: 1 %
Viscosity, kinematic	: 10,2 mm <sup>2</sup> /s (40°C)
Viscosity, dynamic	: 12,4 mPa·s (20,1°C)
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: 1,02
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

Kabuki	
LD50 oral rat	> 2000 mg/kg (OECD 423 method)
LD50 dermal rat	> 2000 mg/kg (JMAFF 59 NohSan No. 4200)
LC50 Inhalation - Rat (Dust/Mist)	2,1 – 5,4 mg/l/4h

$\gamma$ -butyrolactone (96-48-0)	
LD50 oral rat	1582 mg/kg

Dodecan-1-ol, ethoxylated (9002-92-0)	
LD50 oral rat	9600 mg/kg

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts (68953-96-8)	
LD50 dermal rat	1100 mg/kg

xylene (1330-20-7)	
LD50 dermal rat	1100 mg/kg

Skin corrosion/irritation : Causes skin irritation.  
pH: 4,9  
Serious eye damage/irritation : Causes serious eye damage.  
pH: 4,9  
Respiratory or skin sensitisation : May cause an allergic skin reaction.

Kabuki	
Additional information	(OECD 429 method)

Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

pyraflufen-ethyl (ISO); 2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid ethyl ester (129630-19-9)	
---	--

NOAEL (chronic, oral, animal/male, 2 years) 98,3 mg/kg bodyweight (Mouse, 78 weeks)

NOAEL (chronic, oral, animal/female, 2 years) 20 mg/kg bodyweight (Rat, 104 weeks)

Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

$\gamma$ -butyrolactone (96-48-0)	
STOT-single exposure	May cause drowsiness or dizziness.

xylene (1330-20-7)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

### xylene (1330-20-7)

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.

### Kabuki

Viscosity, kinematic	10,2 mm <sup>2</sup> /s (40°C)
----------------------	--------------------------------

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The substance/mixture has no endocrine disrupting properties.

#### 11.2.2. Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.  
Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

### Kabuki

LC50 - Fish [1]	1,6 mg/l (96h- Oncorhynchus mykiss)
LC50 - Fish [2]	3,3 mg/l (96h- Oncorhynchus mykiss)
EC50 - Crustacea [1]	0,76 mg/l (72h - Daphnia mahna)

### 12.2. Persistence and degradability

### Kabuki

Persistence and degradability	Not established.
-------------------------------	------------------

### pyraflufen-ethyl (ISO); 2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid ethyl ester (129630-19-9)

Persistence and degradability	Readily biodegradable.
Biodegradation	100 % (28 d)

### 12.3. Bioaccumulative potential

### Kabuki

Bioaccumulative potential	Not established.
---------------------------	------------------

### pyraflufen-ethyl (ISO); 2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid ethyl ester (129630-19-9)

Partition coefficient n-octanol/water (Log Pow)	3,49
Bioaccumulative potential	Low bioaccumulation potential.

### 12.4. Mobility in soil

No additional information available



# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

### 12.5. Results of PBT and vPvB assessment

#### Kabuki

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The substance/mixture has no endocrine disrupting properties.

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Sewage disposal recommendations : Disposal must be done according to official regulations.  
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.  
Additional information : Do not re-use empty containers.

## SECTION 14: Transport information






In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
<b>14.2. UN proper shipping name</b>				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.)	Environmentally hazardous substance, liquid, n.o.s. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.)
<b>Transport document description</b>				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (pyraflufen-ethyl, Solvent naphtha (petroleum), heavyarom.), 9, III
<b>14.3. Transport hazard class(es)</b>				
9	9	9	9	9

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)


ADR	IMDG	IATA	ADN	RID
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Special provisions (ADR) : 274, 335, 375, 601

Orange plates :



#### Transport by sea

No data available

#### Air transport

No data available

#### Inland waterway transport

Classification code (ADN) : M6

Number of blue cones/lights (ADN) : 0

#### Rail transport

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

### Abbreviations and acronyms:

PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

### Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.

# Kabuki

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 (amended by Regulation (EU) 2020/878) and the Chemicals Ordinance (ChemV, SR 813.11)

Full text of H- and EUH-statements:	
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Acute Tox. 4 (Inhalation:dust,mist)	H332	
Skin Irrit. 2	H315	
Eye Dam. 1	H318	
Skin Sens. 1	H317	
Asp. Tox. 1	H304	
Aquatic Acute 1	H400	
Aquatic Chronic 1	H410	

Safety Data Sheet (SDS), EU Certis Belchim

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.